

SCF

CONTAINER
SOLUTIONS

20FT DANGEROUS GOODS

DOUBLE SIDE DOOR



20ft Dangerous Goods Double Side Door

SCF's 20ft Dangerous Goods Double Side Door container is the most flexible storage solution for dangerous goods, with access available from both sides. Safely store your chemicals, liquids or powders and get the peace of mind that workplace compliance provides.

Key Features

- Flexible storage for chemical classes 3, 4.1, 4.3, 5.1, 6.1 and 8 (subject to MSDS compliance)
- Bunded to contain spillages
- Full double side opening access
- Multiple top and bottom vents for air circulation
- 316L safety drain valve

Details

SCF's Double Side Door Dangerous Goods container is specifically designed for the transport and storage of dangerous goods.

It provides a bunded transport solution for your hazardous and EPA prescribed dangerous goods.

The design ensures optimum compliance and safety to transport and store your hazardous goods in purpose-built application from end-to-end.

All SCF Dangerous Goods containers are designed to comply with the relevant Australian Standard and come with galvanised steel flooring, bunding to contain spills, raised cross-members to simplify the clean-up of spills and an emergency exit to ensure user safety.

Other key safety features include ventilation grills at the top and bottom of the side walls, and a safety drain valve.

Upon delivery, each customer will receive an Independent Certificate of Compliance.

Specifications

20ft Dangerous Goods Double Side Door

Specifications may vary

Internal

Length (mm)	5,948
Width (mm)	2,248
Height (mm)	2,586

External

Length (mm)	6,058
Width (mm)	2,462
Height (mm)	2,896

Weight

Tare (kg)	4,600
Payload (kg)	16,000
MGW (kg)	20,600




Top:
Multiple points
of access

Middle Left:
316L Safety
drain valve

Middle Right:
Floor grate

Below:
Both side doors
open for
maximum
access





SCFU 021

SCFU 022 141 D
25VA

SCF
31132

SCFU 022141 D
25VA

MAXGROSS
TARE
PAYLOAD

SCF

BUND CAPACITY
2,800 L

NOTICE

SCFU 022 142 B
25VA

SCF
31132

SCF

HIRE

OR BUY

131 132

MAXGROSS 20,400 KGS
44,970 LBS
TARE 3,915 KGS
8,630 LBS
PAYLOAD 16,485 KGS
36,340 LBS

BUND CAPACITY

SCF
131 132